Specification for Threading, Gauging and Thread Inspection of Casing, Tubing, and Line Pipe Threads

API SPECIFICATION 5B FIFTEENTH EDITION, APRIL 2008

EFFECTIVE DATE: OCTOBER 1, 2008



Specification for Threading, Gauging and Thread Inspection of Casing, Tubing, and Line Pipe Threads

Upstream Segment

API SPECIFICATION 5B FIFTEENTH EDITION, APRIL 2008

EFFECTIVE DATE: OCTOBER 1, 2008



Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 1220 L Street, N.W., Washington, D.C. 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually and updated quarterly by API, 1220 L Street, N.W., Washington, D.C. 20005.

Suggested revisions are invited and should be submitted to the Standards and Publications Department, API, 1220 L Street, NW, Washington, D.C. 20005, standards@api.org.

Standards referenced herein may be replace by other international or national standards that can be shown to meet or exceed the requirements of the referenced standard.

This fifteenth edition of API Spec 5B contains the following changes to the previous edition:

- Addendum 1, March 2004, and Errata, April 9, 1998, of the fourteenth edition are included in the text.
- Added SR22 in Appendix D.
- New metric tables added in Appendix E.
- New metric drawings added in Appendix F.
- Text formatted to a single column.
- Moved Extreme-Line Casing to Appendix G.
- Changed Pin Chamfer Angle from 65° to 60° (Agenda Item 3067).
- Additional editorial items

Contents

| | | Page |
|------------------------|--|--------|
| 1 1.1 1.2 1.3 | Inspection | 1 1 |
| 2 2.1 2.2 | | 1 |
| 3 | Definitions | 1 |
| | Thread Dimensions and Tolerances | |
| | Thread Inspection | |
| 6 6.1 | Gauging Practice | |
| 7 7.1 | Gauge Specification | |
| | API Gauge Certification | |
| 9 | Thread Marking | 57 |
| Αp | pendix A Instructions for Shipment of Master Gauges | 59 |
| Ap | pendix B Marking Instructions for API Licensees | 61 |
| Ap | pendix C API Gauge Certification Agency Requirements | 63 |
| Ap | pendix D Supplementary Requirements (Normative) | 65 |
| Ap | pendix E Tables in International Standard Units | 69 |
| Ap | pendix F Figures in International Standard Units | 91 |
| Ap | pendix G Extreme-Line Casing | 97 |
| _ | jures | _ |
| | 1 Line Pipe Thread Form | |
| 3 | Basic Dimensions of Casing Round Threads Hand-Tight Make-Up | 8 |
| | 4 Casing Round Thread Form | |
| | Buttress Casing Thread Form and Dimensions—for Casing Sizes 4 ¹ /2 through 13 ³ /8 | |
| | 7 Buttress Casing Thread Form and Dimensions—for Casing Sizes 16 and Larger | 14 |
| | Basic Dimensions of Tubing Round Threads Hand-Tight Make-Up | |

| P | ad | ıe |
|---|----|----|
| | | |

| 10 | Typical External-Thread Taper Gauge | |
|--------|---|-----|
| 11 | Typical Internal-Thread Taper Gauge for Threads in Sizes 4 ¹ / ₂ and Larger | |
| 12 | Typical Internal-Thread Taper Gauge for Threads in Sizes Smaller than 4 ¹ /2 | |
| 13 | Typical Run-Out Gauge for Buttress Thread Casing | |
| 14 | Typical Lead Gauges | 28 |
| 15 | Typical Thread Height Gauges | |
| 16 | Typical Thread Height Gauge for Internal Threads in Nominal Sizes Smaller than 3 | |
| 17 | Typical Thread-Contour Microscope for Measuring Thread Angle and Checking Thread Form | |
| 18 | Typical Single Dial Gauge for Buttress Threads | |
| 19 | Typical Check Pieces for Setting Dial Gauges | |
| 20 | Typical Machine for Checking Coupling-Thread Alignment | |
| 21 | Typical Application of Coupling-Thread Alignment Gauge | 35 |
| 22 | Gauging Practice for Line Pipe Threads and Casing and Tubing Round Thread | |
| | Hand-Tight Assembly | 37 |
| 23 | Gauging Practice for Buttress Casing Threads Hand-Tight Assembly | |
| 24 | Comparison of Line Pipe Gauges Made Subsequent to 1940 and Gauges Made Prior to 1940 | |
| 25 | Thread Gauge for Line Pipe and Round Thread Casing and Tubing | |
| 26 | Thread Gauge for Buttress Casing | |
| 27 | Gauge Thread Form for Line Pipe and Round Thread Casing and Tubing | |
| 28 | Gauge Thread Form and Dimensions for Buttress Casing | |
| 29 | Gauge Thread Form and Dimensions for Buttress Casing | 46 |
| 30 | Bolt Circles and Back-Up Plate Dimensions for Line Pipe, Buttress Casing and Short or | |
| | Long Round Casing Master Plug Gauges | |
| D1 | Basic Dimension of Power Tight Make-Up | |
| D2 | | |
| 5M | | |
| 6M | | |
| 7M | | |
| | M SR22 Casing Round Thread Form | |
| G1 | Machining Details—Sizes 5 through 7 ⁵ /8 | |
| G2 | Machining Details—Sizes 8 ⁵ /8 through 10 ³ /4 | |
| G3 | Box and Pin Entrance Threads—Sizes 5 through 7 ⁵ /8 | |
| G4 | | 107 |
| G5 | Box and Pin Entrance Threads—Sizes 85/8 through 103/4 | |
| G6 | Product Thread Form—Sizes 8 ⁵ /8 through 10 ³ /4 | |
| G7 | Gauging Practice for Extreme-Line Casing | |
| G8 | Bolt Circles and Back-Up Plate Dimensions for Extreme-Line Casing Master Plug Gauges | |
| | Gauge Details—Size Designations 5 through 7 ⁵ /8 | |
| | Gauge Details—Size Designations 8 ⁵ /8 through 10 ³ /4 | |
| | Gauge Thread Form—Size Designations 5 through 75/8 | |
| G12 | 2 Gauge Thread Form—Size Designations 8 ⁵ /8 through 10 ³ /4 | 115 |
| | | |
| Tables | | _ |
| 1 | Line Pipe Thread Height Dimensions | |
| 2 | Tolerances on Line Pipe Dimensions | |
| 3 | Line Pipe Thread Dimensions | |
| 4 | Casing Round Thread Height Dimensions | |
| 5 | Tolerances on Casing Round Thread Dimensions | |
| 6 | Casing Short-Thread Dimensions | |
| 7 | Casing Long-Thread Dimensions | |
| 8 | Tolerances on Buttress Casing Thread Dimensions | |
| 9 | Buttress Casing Thread Dimensions | 16 |

| Page |
|------|
| |

| | Tubing Round Thread Height Dimensions | |
|-----|---|-----|
| | Tolerances on Tubing Round Thread Dimensions | |
| | Non-Upset Tubing Thread Dimensions | |
| | External-Upset Tubing Thread Dimensions | |
| | External-Upset Long Round Thread Dimensions for Fiberglass Pipe | |
| | Integral-Joint Tubing Thread Dimensions | |
| | Round Nosed Ends | |
| | Compensated Thread Lengths for Measurements Parallel to the Taper Cone | |
| | Line Pipe Thread Gauge Dimensions | |
| | Short and Long Round Casing Thread Gauge Dimensions | |
| | Buttress Casing Thread Gauge Dimensions | |
| | Non-Upset Tubing Thread Gauge Dimensions | |
| | External-Upset Tubing Thread Gauge Dimensions | |
| | Integral-Joint Tubing Thread Gauge Dimensions | |
| | Gauge Thread Height Dimensions for Line Pipe | |
| | Gauge Thread Height Dimensions for Round Thread Casing and Tubing | |
| 26 | Tolerances on Gauge Dimensions for Line Pipe | 53 |
| | Tolerances on Gauge Dimensions for Round Thread Casing and Tubing | |
| | Tolerances on Gauge Dimensions for Buttress Casing | |
| | Enhanced Leak Resistance LTC Thread Dimensions | |
| | Dimensional Tolerances on SR22 Casing 8-Round Thread Dimensions | |
| | Line Pipe Thread Dimensions | |
| | Tolerances on Line Pipe Thread Dimensions | |
| | Line Pipe Thread Dimensions | |
| | Casing Round Thread Height Dimensions | |
| | Tolerances on Casing Round Dimensions | |
| | Casing Short-Thread Dimensions | |
| | Casing Long-Thread Dimensions | |
| | Tolerances on Buttress Casing Thread Dimensions | |
| | Buttress Casing Thread Dimensions | |
| 10M | Tubing Round Thread Height Dimensions | |
| 11M | | |
| | Non-Upset Tubing Thread Dimensions | |
| | External-Upset Tubing Thread Dimensions | |
| 14M | External-Upset Long Round Thread Dimensions for Fiberglass Pipe | |
| 15M | Integral-Joint Tubing Thread Dimensions | 80 |
| | Round Nosed Ends | |
| | Compensated Thread Lengths for Measurements Parallel to the Taper Cone | |
| | Enhanced Leak Resistance LTC Thread Dimensions | |
| D2M | Dimensional Tolerances on SR22 Casing 8-Round Thread Dimensions | 83 |
| | Extreme-Line Casing—Label 1—5 through 7 ⁵ /8 | |
| | Extreme-Line Casing—Label 1—8 ⁵ /8 through 10 ³ /4 | |
| | Inspection of Extreme-Line Threads and Seals with Dimensions and Tolerances | |
| | Extreme-Line Casing—Sizes 5 through 7 ⁵ /8 | |
| | Extreme-Line Casing—Sizes 8 ⁵ /8 through 10 ³ /4 | |
| | Inspection of Extreme-Line Threads and Seals with Dimensions and Tolerances | |
| | Gauge Dimensions for Extreme-Line Casing | |
| G5 | Tolerances on Gauge Dimensions for Extreme-Line Casing | 124 |