

ASME B16.20-2007
(Revision of ASME B16.20-1998)

Metallic Gaskets for Pipe Flanges

**Ring-Joint, Spiral-Wound, and
Jacketed**

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**



Copyright © 2008 by the American Society of Mechanical Engineers.
No reproduction may be made of this material without written consent of ASME.



Date of Issuance: May 19, 2008

The next edition of this Standard is scheduled for publication in 2013. There will be no addenda issued to this edition.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Interpretations are published on the ASME Web site under the Committee Pages at <http://cstools.asme.org> as they are issued.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Three Park Avenue, New York, NY 10016-5990

Copyright © 2008 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.



CONTENTS

Foreword	iv
Committee Roster	v
Correspondence With the B16 Committee	vi
Important Information Concerning Use of Asbestos or Alternative Materials	vii
1 Scope	1
2 Ring-Joint Gaskets	1
3 Spiral-Wound Gaskets	2
4 Jacketed Gaskets	3
Tables	
1 Maximum Hardness for Ring Gaskets	1
2 Ring Gasket Markings	2
3 Type R Ring Gasket Dimensions and Tolerances	4
4 Pipe Sizes for Type R Ring Gaskets Suitable for Referenced Standards	7
5 Type RX Ring Gasket Dimensions and Tolerances	9
6 Pipe Sizes for Type RX Ring Gaskets Suitable for Referenced Standards	11
7 Type BX Ring Gasket Dimensions and Tolerances	12
8 Pipe Sizes for Type BX Ring Gaskets Suitable for Referenced Standards	13
9 Dimensions for Spiral-Wound Gaskets Used With ASME B16.5 Flanges	14
10 Dimensions for Spiral-Wound Gaskets Used With ASME B16.47 Series A Flanges	16
11 Dimensions for Spiral-Wound Gaskets Used With ASME B16.47 Series B Flanges	18
12 Inner-Ring Inside Diameters for Spiral-Wound Gaskets for Use With ASME B16.5 Flanges	20
13 Inner-Ring Inside Diameters for Spiral-Wound Gaskets Used Between ASME B16.47 Series A Flanges	21
14 Inner-Ring Inside Diameters for Spiral-Wound Gaskets Used Between ASME B16.47 Series B Flanges	22
15 Minimum Pipe Wall Thickness Suitable for Use of Spiral-Wound Gaskets With Inner Rings for ASME B16.5 Flanges	23
16 Maximum Bore of ASME B16.5 Flanges for Use With Spiral-Wound Gaskets	24
17 Maximum Bore of ASME B16.47 Series A Flanges for Use With Spiral-Wound Gaskets	25
18 Maximum Bore of ASME B16.47 Series B Flanges for Use With Spiral-Wound Gaskets	26
19 Color Coding and Abbreviations for Spiral-Wound Gasket Materials	27
20 Example Markings for Spiral-Wound Gaskets	28
21 Jacketed Gasket Dimensions for ASME B16.5 Flanges	29
22 Jacketed Gasket Dimensions for ASME B16.47 Series A Flanges	30
23 Jacketed Gasket Dimensions for ASME B16.47 Series B Flanges	31
24 Abbreviations for Identifying Materials for Jacketed Gaskets	32
25 Example Markings for Jacketed Gaskets	32
Mandatory Appendices	
I Dimensions of Gaskets in U.S. Customary Units	33
II References	54
Nonmandatory Appendix	
A Quality System Program	55

